

- [3] Abu Shawar., B., Atwell, E. (2003b). Machine learning from dialogue corpora to generate chatbots. *Expert Update*, vol. 6, pp. 25-30.
- [4] Abu Shawar, B., Atwell, E. (2003c). Using the corpus of Spoken Afrikaans to generate an Afrikaans chatbot. *Southern African Linguistics and Applied Language Studies*. Vol. 21, pp. 283-294.
<http://dx.doi.org/10.2989/16073610309486349>
- [5] Abu Shawar, B., Atwell, E. (2004). An Arabic chatbot giving answers from the Qur'an. In: Bel, B & Marlien, I (editors) *Proceedings of TALN04*. Vol 2, pp. 197-202 ATALA.
- [6] Abu Shawar Bayan, Atwell Eric and Roberts Andy. (2005b). FAQchat as an information retrieval system. In: Zygmunt V. (ed.), *Human Language Technologies as a Challenge for Computer Science and Linguistics: Proceedings of the 2nd Language and Technology Conference*, Wydawnictwo Poznanskie, Poznan, pp. 274-278.
- [7] Abu Shawar, B. Atwell, E. (2005a). Using corpora in machine-learning chatbot systems. *International Journal of Corpus Linguistics* 10:4, pp. 489-516
<http://dx.doi.org/10.1075/ijcl.10.4.06sha>
- [8] AskJeeves. (2004). [Online]: <http://ask.co.uk/home>
- [9] Athira P., Sreeja M. and P. Reghuraj. 2013. Architecture of an Ontology-Based Domain-Specific Natural Language Question Answering System. *International Journal of Web & Semantic Technology (IJWest)* vol.4, No. 4. Pp.31-39
<http://dx.doi.org/10.5121/ijwest.2013.4403>
- [10] Bekhti, S.; Rehman, A.; Al-Harbi, M.; Saba, T.: AQuASys an Arabic question-answering system based on extensive question analysis and answer relevance scoring. *Inf. Comput. Int. J. Acad. Res.*3(4), 45–54 (2011)
- [11] Boyle, R. (2003). "Understanding search engines". *COMP1600: SY11 Introduction to Computer Systems 1*. Lecture Notes, School of Computing, University of Leeds. pp65-72.
- [12] Colby, K. (1999). Human-computer conversation in a cognitive therapy program. In Wilks, Y. (eds.) *Machine conversations*. Kluwer, Boston/Dordrecht/London. Pp. 9-19.
http://dx.doi.org/10.1007/978-1-4757-5687-6_3
- [13] Cybelle. (2004). [Online]: AgentLand.com
- [14] Dumais, S., Banko, M., Brill, E., Lin, J., and Ng, A. (2002). Web question answering: is more always better?. In *Proceedings of the 25th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval. (SIGIR 2002)*. Tampere, Finland, pp. 291-298.
<http://dx.doi.org/10.1145/564376.564428>
- [15] Güzeldere, G. and Franchi, S. (1995). Dialogue with colourful personalities of early ai". In *Constructions of the Mind, SEHR*, volume 4, issue 2. [Online]: <http://www.stanford.edu/group/SHR/4-2/text/toc.html>
- [16] Kwok, C., Etzioni, O., and S.Weld, D. (2001). Scaling question answering to the web. *ACM Transactions on Information Systems*. Vol. 19, No.3, pp. 242-262.
<http://dx.doi.org/10.1145/502115.502117>
- [17] MUMMI (2004). A Concept for chatbot: "Sanelma" building engaging relationship between the work of art and the exhibition visitor. [Online]: <http://www.mlab.uiah.fi/mummi/sanelma/>
- [18] Robin, B., Hammond, K., Kulyukin, V., Lytinen, S., Tomuro, N. and Schoenberg, S. (1997). Question answering from frequently-asked question files: experiences with the FAQ finder system. *AI magazine*. Vol. 18, No. 2, pp. 57-66.
- [19] Wallace, R. (2003) *The elements of AIML style*. ALICE AI Foundation.
- [20] Weizenbaum, J. (1966). ELIZA-A computer program for the study of natural language communication between man and machine, *Communications of the ACM*, Vol. 10, No. 8, pp36-45.
<http://dx.doi.org/10.1145/365153.365168>
- [21] Yanshen Yin, Yong Zhang, Xiao Liu, Yan Zhang, Chunxiao Xing, Hsinchun Chen: HealthQA: A Chinese QA Summary System for Smart Health. *Lecture Notes in Computer Science* Volume 8549, 2014, pp 51-62
- [22] Zheng, Z., AnswerBus Question Answering System. In *Proceedings of the Conference on Human Language Technology*, 2002b.
<http://dx.doi.org/10.3115/1289189.1289238>